

Dymo LabelWriter Drivers for Linux

#graphical label designer

```
apt-get install glabels
```

#glabels-qt /glabels 4 dev

<https://github.com/jimevins/glabels-qt>

<https://code.launchpad.net/~krisives/+archive/ubuntu/glabels-qt>

```
wget
https://code.launchpad.net/~krisives/+archive/ubuntu/glabels-qt/+files/glabels-qt_4.0.0-0~202102071618~rev488~pkg4~ubuntu21.04.1_amd64.deb
sudo dpkg -i glabels-qt_4.0.0-0~202102071618~rev488~pkg4~ubuntu21.04.1_amd64.deb
```

<http://www.taklischris.info/other/use-your-dymo-printer-on-ubuntu>

Download CUPS driver and SDK from here:

<https://developers.dymo.com/2012/02/21/announcing-dymo-labelwriterlabelmanager-sdk-1-4-0-for-linux/>

```
sudo apt-get install libcups2-dev libcupsimage2-dev libboost-dev gcc g++
wget
https://www.dymo-label-printers.co.uk/user/dymo-cups-drivers-1.4.0.tar.gz
tar xzf dymo-cups-drivers-1.4.0.tar.gz
cd ./dymo-cups-drivers-1.4.0.5/
./configure
make
sudo make install
```

To set up the printer in CUPS, go the CUPS admin page and add the new printer.

<http://localhost:631/admin>

<http://www.linux-magazine.com/Issues/2016/183/Perl-Producing-Labels>

Inofficial github with drivers (working with LW450!):

<https://github.com/matthiasbock/dymo-cups-drivers>

```
sudo apt-get install libcups2-dev libcupsimage2-dev libboost-dev gcc g++
autoconf automake
git clone https://github.com/matthiasbock/dymo-cups-drivers
cd dymo-cups-drivers
./build.sh
sudo make install
sudo service cups restart
```

configure printer in cups

Labelwriter Wireless PPD (untested):

<https://gist.github.com/vstath/0f5eab715cec427b86dcf9c47f397f04>

Label Sizes and names:

Number	Size	PPD Entry	Descriptions
11356	41 x 89 mm	w118h252	Small Badge Name Badge White Name badge

<https://www.dymo-label-printers.co.uk/news/download-dymo-sdk-for-linux.html>

<https://github.com/minlux/dymon>

<https://gist.github.com/vstath/0f5eab715cec427b86dcf9c47f397f04>

[lww.ppd](#)

```
*PPD-Adobe: "4.3"

*% $Id: lww.ppd 18293 2012-05-28 16:46:08Z aleksandr $

*% DYMO LabelWriter Drivers
*% Copyright (C) 2009 Sanford L.P.

*% This program is free software; you can redistribute it and/or
*% modify it under the terms of the GNU General Public License
*% as published by the Free Software Foundation; either version 2
*% of the License, or (at your option) any later version.

*% This program is distributed in the hope that it will be useful,
*% but WITHOUT ANY WARRANTY; without even the implied warranty of
*% MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
*% GNU General Public License for more details.

*% You should have received a copy of the GNU General Public License
*% along with this program; if not, write to the Free Software
*% Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.

*FormatVersion: "4.3"
*FileVersion: "3.1"
*LanguageVersion: English
*LanguageEncoding: ISOLatin1
*PCFileName: "LWW.PPD"
*Manufacturer: "DYMO"
*Product: "(DYMO LabelWriter Wireless)"
*cupsVersion: 1.2
*cupsManualCopies: False
*cupsFilter: "application/vnd.cups-raster 0
/usr/lib/cups/filter/raster2dymolw"
*cupsModelNumber: 0
*PSVersion: "(3010.000) 550"
```

```
*LanguageLevel: "3"
*ColorDevice: False
*DefaultColorSpace: Gray
*FileSystem: False
*Throughput: "8"
*LandscapeOrientation: Minus90
*TTRasterizer: Type42

*ModelName: "DYMO LabelWriter Wireless"
*NickName: "DYMO LabelWriter Wireless"
*ShortNickName: "DYMO LabelWriter Wireless"
*APPrinterIconPath: "/Library/Printers/DYMO/Icons/LWW.icns"

*cupsIPPRReason com.dymo.out-of-paper-error/Out of labels. : ""
*cupsIPPRReason com.dymo.read-error/Cannot read data from printer. : ""
*cupsIPPRReason com.dymo.ready/Printer is ready. : ""
*cupsIPPRReason com.dymo.general-error/General print error. : ""
*cupsIPPRReason com.dymo.head-overheat-error/Print head is overheated. :
""
*cupsIPPRReason com.dymo.slot-status-error/Label path is blocked. : ""
*cupsIPPRReason com.dymo.busy-error/The printer is currently in use. :
""
*cupsIPPRReason com.dymo.paper-size-error/Label being printed does not
match label width currently in printer. : ""
*cupsIPPRReason com.dymo.paper-size-undefine-error/Insert a label
cassette in the printer. : ""

*de.cupsIPPRReason com.dymo.out-of-paper-error/Keine Etiketten mehr. :
""
*de.cupsIPPRReason com.dymo.read-error/Kann keine Daten vom Drucker
lesen. : ""
*de.cupsIPPRReason com.dymo.ready/Drucker ist bereit. : ""
*de.cupsIPPRReason com.dymo.general-error/Allgemeiner Fehler beim
Drucken. : ""
*de.cupsIPPRReason com.dymo.head-overheat-error/Druckkopf ist zu heiß. :
""
*de.cupsIPPRReason com.dymo.slot-status-error/Etikettenzuführung ist
blockiert. : ""
*de.cupsIPPRReason com.dymo.busy-error/Der Drucker wird gegenwärtig
verwendet. : ""
*de.cupsIPPRReason com.dymo.paper-size-error/Zu druckendes Etikett passt
nicht zur Breite der Etiketten im Drucker. : ""
*de.cupsIPPRReason com.dymo.paper-size-undefine-error/Legen Sie eine
Etikettenkassette in den Drucker ein. : ""

*es.cupsIPPRReason com.dymo.out-of-paper-error/No tiene etiquetas. : ""
*es.cupsIPPRReason com.dymo.read-error/No se pueden leer los datos de la
impresora. : ""
*es.cupsIPPRReason com.dymo.ready/La impresora está lista. : ""
*es.cupsIPPRReason com.dymo.general-error/Erreur d'impression générale.
: ""
```

```
*es.cupsIPPRReason com.dymo.head-overheat-error/El cabezal de impresión
está sobrecalentado. : ""
*es.cupsIPPRReason com.dymo.slot-status-error/La trayectoria de la
etiqueta está bloqueada. : ""
*es.cupsIPPRReason com.dymo.busy-error/La impresora se encuentra
actualmente en uso. : ""
*es.cupsIPPRReason com.dymo.paper-size-error/La etiqueta que se imprime
no coincide con el ancho actual de la impresora. : ""
*es.cupsIPPRReason com.dymo.paper-size-undefine-error/Inserte un
cartucho de etiquetas en la impresora. : ""

*es_C0.cupsIPPRReason com.dymo.out-of-paper-error/No tiene etiquetas. :
""
*es_C0.cupsIPPRReason com.dymo.read-error/No se pueden leer los datos de
la impresora. : ""
*es_C0.cupsIPPRReason com.dymo.ready/La impresora está lista. : ""
*es_C0.cupsIPPRReason com.dymo.general-error/Erreur d'impression
générale. : ""
*es_C0.cupsIPPRReason com.dymo.head-overheat-error/El cabezal de
impresión está sobrecalentado. : ""
*es_C0.cupsIPPRReason com.dymo.slot-status-error/La trayectoria de la
etiqueta está bloqueada. : ""
*es_C0.cupsIPPRReason com.dymo.busy-error/La impresora se encuentra
actualmente en uso. : ""
*es_C0.cupsIPPRReason com.dymo.paper-size-error/La etiqueta que se
imprime no coincide con el ancho actual de la impresora. : ""
*es_C0.cupsIPPRReason com.dymo.paper-size-undefine-error/Inserte un
cartucho de etiquetas en la impresora. : ""

*fr.cupsIPPRReason com.dymo.out-of-paper-error/Quantité d'étiquettes
insuffisante. : ""
*fr.cupsIPPRReason com.dymo.read-error/Impossible de lire les données
depuis l'imprimante. : ""
*fr.cupsIPPRReason com.dymo.ready/Imprimante prête. : ""
*fr.cupsIPPRReason com.dymo.general-error/Erreur d'impression générale.
: ""
*fr.cupsIPPRReason com.dymo.head-overheat-error/Tête d'impression
surchauffée. : ""
*fr.cupsIPPRReason com.dymo.slot-status-error/Chemin des étiquettes
bloqué. : ""
*fr.cupsIPPRReason com.dymo.busy-error/Imprimante en cours
d'utilisation. : ""
*fr.cupsIPPRReason com.dymo.paper-size-error/Étiquette en cours
d'impression pas de la même largeur que dans l'imprimante. : ""
*fr.cupsIPPRReason com.dymo.paper-size-undefine-error/Insérer une
cassette d'étiquettes dans l'imprimante. : ""

*fr_CA.cupsIPPRReason com.dymo.out-of-paper-error/Quantité d'étiquettes
insuffisante. : ""
*fr_CA.cupsIPPRReason com.dymo.read-error/Impossible de lire les données
depuis l'imprimante. : ""
```

```
*fr_CA.cupsIPPRReason com.dymo.ready/Imprimante prête. : ""
*fr_CA.cupsIPPRReason com.dymo.general-error/Erreur d'impression
générale. : ""
*fr_CA.cupsIPPRReason com.dymo.head-overheat-error/Tête d'impression
surchauffée. : ""
*fr_CA.cupsIPPRReason com.dymo.slot-status-error/Chemin des étiquettes
bloqué. : ""
*fr_CA.cupsIPPRReason com.dymo.busy-error/Imprimante en cours
d'utilisation. : ""
*fr_CA.cupsIPPRReason com.dymo.paper-size-error/Étiquette en cours
d'impression pas de la même largeur que dans l'imprimante. : ""
*fr_CA.cupsIPPRReason com.dymo.paper-size-undefine-error/Insérer une
cassette d'étiquettes dans l'imprimante. : ""

*it.cupsIPPRReason com.dymo.out-of-paper-error/Etichette esaurite. : ""
*it.cupsIPPRReason com.dymo.read-error/Impossibile leggere i dati dalla
stampante. : ""
*it.cupsIPPRReason com.dymo.ready/Stampante pronta. : ""
*it.cupsIPPRReason com.dymo.general-error/Errore generico di stampa. :
""
*it.cupsIPPRReason com.dymo.head-overheat-error/Testina di stampa
surriscaldata. : ""
*it.cupsIPPRReason com.dymo.slot-status-error/Percorso etichetta
bloccato. : ""
*it.cupsIPPRReason com.dymo.busy-error/Stampante attualmente in uso. :
""
*it.cupsIPPRReason com.dymo.paper-size-error/L'etichetta in stampa è
diversa dalla larghezza impostata nella stampante. : ""
*it.cupsIPPRReason com.dymo.paper-size-undefine-error/Inserire una
cartuccia etichette nella stampante. : ""

*nl.cupsIPPRReason com.dymo.out-of-paper-error/Labels zijn op. : ""
*nl.cupsIPPRReason com.dymo.read-error/Kan gegevens van de printer niet
lezen. : ""
*nl.cupsIPPRReason com.dymo.ready/Printer is gereed. : ""
*nl.cupsIPPRReason com.dymo.general-error/Algemene afdrukfout. : ""
*nl.cupsIPPRReason com.dymo.head-overheat-error/Printkop is oververhit.
: ""
*nl.cupsIPPRReason com.dymo.slot-status-error/Labelspoor is geblokkeerd.
: ""
*nl.cupsIPPRReason com.dymo.busy-error/De printer is momenteel in
gebruik. : ""
*nl.cupsIPPRReason com.dymo.paper-size-error/De af te drukken label komt
niet overeen met de labelbreedte in de printer. : ""
*nl.cupsIPPRReason com.dymo.paper-size-undefine-error/Plaats een
labelcassette in de printer. : ""

*pt.cupsIPPRReason com.dymo.out-of-paper-error/Sem etiquetas. : ""
*pt.cupsIPPRReason com.dymo.read-error/Não é possível ler dados da
impressora. : ""
*pt.cupsIPPRReason com.dymo.ready/A impressora está pronta. : ""
```

```
*pt.cupsIPPPReason com.dymo.general-error/Erro geral de impressão. : ""
*pt.cupsIPPPReason com.dymo.head-overheat-error/A cabeça de impressão
está superaquecida. : ""
*pt.cupsIPPPReason com.dymo.slot-status-error/0 caminho da etiqueta está
bloqueado. : ""
*pt.cupsIPPPReason com.dymo.busy-error/A impressora está em uso no
momento. : ""
*pt.cupsIPPPReason com.dymo.paper-size-error/A etiqueta sendo impressa
não coincide com a largura da etiqueta na impressora. : ""
*pt.cupsIPPPReason com.dymo.paper-size-undefine-error/Inserir um cassete
de etiquetas na impressora. : ""

*pt_BR.cupsIPPPReason com.dymo.out-of-paper-error/Sem etiquetas. : ""
*pt_BR.cupsIPPPReason com.dymo.read-error/Não é possível ler dados da
impressora. : ""
*pt_BR.cupsIPPPReason com.dymo.ready/A impressora está pronta. : ""
*pt_BR.cupsIPPPReason com.dymo.general-error/Erro geral de impressão. :
""
*pt_BR.cupsIPPPReason com.dymo.head-overheat-error/A cabeça de impressão
está superaquecida. : ""
*pt_BR.cupsIPPPReason com.dymo.slot-status-error/0 caminho da etiqueta
está bloqueado. : ""
*pt_BR.cupsIPPPReason com.dymo.busy-error/A impressora está em uso no
momento. : ""
*pt_BR.cupsIPPPReason com.dymo.paper-size-error/A etiqueta sendo
impressa não coincide com a largura da etiqueta na impressora. : ""
*pt_BR.cupsIPPPReason com.dymo.paper-size-undefine-error/Inserir um
cassete de etiquetas na impressora. : ""

*OpenUI *PageSize/Media Size: PickOne
*OrderDependency: 10 AnySetup *PageSize
*DefaultPageSize: w167h288
*PageSize w154h64/11351 Jewelry Label: "<</PageSize[154 64]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w72h154/11352 Return Address Int: "<</PageSize[72
154]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w72h72/11353 Multi-Purpose: "<</PageSize[72 72]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w162h90/11354 Multi-Purpose: "<</PageSize[162 90]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w54h144/11355 Multi-Purpose: "<</PageSize[54 144]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w118h252/11356 White Name badge: "<</PageSize[118
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h188/14681 CD/DVD Label: "<</PageSize[167
188]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w79h252/30252 Address: "<</PageSize[79 252]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w167h252/30253 Address (2 up): "<</PageSize[167
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h288/30256 Shipping: "<</PageSize[167 288]/ImagingBBox
```

```
null/cupsInteger0 0>>setpagedevice"  
*PageSize w154h198/30258 Diskette: "<</PageSize[154 198]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w82h248/30277 File Folder (2 up): "<</PageSize[82  
248]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w154h64.1/30299 Jewelry Label (2 up): "<</PageSize[154  
64]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w79h252.1/30320 Address: "<</PageSize[79 252]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w102h252/30321 Large Address: "<</PageSize[102  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w154h286/30323 Shipping: "<</PageSize[154 286]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w154h198.1/30324 Diskette: "<</PageSize[154 198]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w54h424/30325 Video Spine: "<</PageSize[54 424]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w131h221/30326 Video Top: "<</PageSize[131 221]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w57h248/30327 File Folder: "<</PageSize[57 248]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w54h144.1/30330 Return Address: "<</PageSize[54  
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w72h72.1/30332 1 in x 1 in: "<</PageSize[72 72]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageSize w72h72.2/30333 1/2 in x 1 in (2 up): "<</PageSize[72  
72]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w162h90.1/30334 2-1/4 in x 1-1/4 in: "<</PageSize[162  
90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize 30334_2-1_4_in_x_1-1_4_in/30334 2-1/4 in x 1-1/4 in:  
"<</PageSize[162 90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w73h86/30335 1/2 in x 1/2 in (4 up): "<</PageSize[73  
86]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w72h154.1/30336 1 in x 2-1/8 in: "<</PageSize[72  
154]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w118h252.1/30337 Audio Cassette: "<</PageSize[118  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w54h203/30339 8mm Video (2 up): "<</PageSize[54  
203]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w54h180/30345 3/4 in x 2-1/2 in: "<</PageSize[54  
180]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w36h136/30346 1/2 in x 1-7/8 in: "<</PageSize[36  
136]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w72h108/30347 1 in x 1-1/2 in: "<</PageSize[72  
108]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w65h90/30348 9/10 in x 1-1/4 in: "<</PageSize[65  
90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w167h288.1/30364 Name Badge Label: "<</PageSize[167  
288]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageSize w168h252/30365 Name Badge Card: "<</PageSize[168  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
```

```
*PageSize w144h169/30370 Zip Disk: "<</PageSize[144 169]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w71h144/30373 Price Tag Label: "<</PageSize[71
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w144h252/30374 Appointment Card: "<</PageSize[144
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w80h144/30376 Hanging File Insert: "<</PageSize[80
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w162h504/30383 PC Postage 3-Part: "<</PageSize[162
504]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize 30383_PC_Postage_3-Part/30383 PC Postage 3-Part:
"<</PageSize[162 504]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h540/30384 PC Postage 2-Part: "<</PageSize[167
540]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize 30384_PC_Postage_2-Part/30384 PC Postage 2-Part:
"<</PageSize[167 540]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h756/30387 PC Postage EPS: "<</PageSize[167
756]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize 30387_PC_Postage_EPS/30387 PC Postage EPS: "<</PageSize[167
756]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h188.1/30854 CD Label: "<</PageSize[167 188]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w176h292/30856 Badge Card Label: "<</PageSize[176
292]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h288.2/30857 Badge Label: "<</PageSize[167
288]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w112h126/30886 CD Label: "<</PageSize[112 126]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w79h252.2/99010 Standard Address: "<</PageSize[79
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w102h252.1/99012 Large Address: "<</PageSize[102
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w154h286.1/99014 Name Badge Label: "<</PageSize[154
286]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w154h286.2/99014 Shipping: "<</PageSize[154 286]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w154h198.2/99015 Diskette: "<</PageSize[154 198]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w63h419/99016 Video Spine: "<</PageSize[63 419]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w139h221/99016 Video Top: "<</PageSize[139 221]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageSize w36h144/99017 Suspension File: "<</PageSize[36
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w108h539/99018 Small Lever Arch: "<</PageSize[108
539]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w167h539/99019 Large Lever Arch: "<</PageSize[167
539]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageSize w154h7680/Banner: "<</PageSize[154 7680]/ImagingBBox
null/cupsMediaType 1/cupsInteger0 0>>setpagedevice"
*PageSize w154h792/Continuous, Wide: "<</PageSize[154 792]/ImagingBBox
```

```
null/cupsMediaType 1/cupsInteger0 0>>setpagedevice"  
*CloseUI: *PageSize  
  
*OpenUI *PageRegion: PickOne  
*OrderDependency: 10 AnySetup *PageRegion  
*DefaultPageRegion: w167h288  
*PageRegion w154h64/11351 Jewelry Label: "<</PageSize[154  
64]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w72h154/11352 Return Address Int: "<</PageSize[72  
154]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w72h72/11353 Multi-Purpose: "<</PageSize[72 72]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w162h90/11354 Multi-Purpose: "<</PageSize[162  
90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w54h144/11355 Multi-Purpose: "<</PageSize[54  
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w118h252/11356 White Name badge: "<</PageSize[118  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h188/14681 CD/DVD Label: "<</PageSize[167  
188]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w79h252/30252 Address: "<</PageSize[79 252]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h252/30253 Address (2 up): "<</PageSize[167  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h288/30256 Shipping: "<</PageSize[167 288]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w154h198/30258 Diskette: "<</PageSize[154 198]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w82h248/30277 File Folder (2 up): "<</PageSize[82  
248]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w154h64.1/30299 Jewelry Label (2 up): "<</PageSize[154  
64]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w79h252.1/30320 Address: "<</PageSize[79 252]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w102h252/30321 Large Address: "<</PageSize[102  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w154h286/30323 Shipping: "<</PageSize[154 286]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w154h198.1/30324 Diskette: "<</PageSize[154  
198]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w54h424/30325 Video Spine: "<</PageSize[54 424]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w131h221/30326 Video Top: "<</PageSize[131 221]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w57h248/30327 File Folder: "<</PageSize[57 248]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w54h144.1/30330 Return Address: "<</PageSize[54  
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w72h72.1/30332 1 in x 1 in: "<</PageSize[72 72]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w72h72.2/30333 1/2 in x 1 in (2 up): "<</PageSize[72
```

```
72]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w162h90.1/30334 2-1/4 in x 1-1/4 in: "<</PageSize[162  
90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion 30334_2-1_4_in_x_1-1_4_in/30334 2-1/4 in x 1-1/4 in:  
"<</PageSize[162 90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w73h86/30335 1/2 in x 1/2 in (4 up): "<</PageSize[73  
86]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w72h154.1/30336 1 in x 2-1/8 in: "<</PageSize[72  
154]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w118h252.1/30337 Audio Cassette: "<</PageSize[118  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w54h203/30339 8mm Video (2 up): "<</PageSize[54  
203]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w54h180/30345 3/4 in x 2-1/2 in: "<</PageSize[54  
180]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w36h136/30346 1/2 in x 1-7/8 in: "<</PageSize[36  
136]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w72h108/30347 1 in x 1-1/2 in: "<</PageSize[72  
108]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w65h90/30348 9/10 in x 1-1/4 in: "<</PageSize[65  
90]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h288.1/30364 Name Badge Label: "<</PageSize[167  
288]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w168h252/30365 Name Badge Card: "<</PageSize[168  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w144h169/30370 Zip Disk: "<</PageSize[144 169]/ImagingBBox  
null/cupsInteger0 0>>setpagedevice"  
*PageRegion w71h144/30373 Price Tag Label: "<</PageSize[71  
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w144h252/30374 Appointment Card: "<</PageSize[144  
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w80h144/30376 Hanging File Insert: "<</PageSize[80  
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w162h504/30383 PC Postage 3-Part: "<</PageSize[162  
504]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion 30383_PC_Postage_3-Part/30383 PC Postage 3-Part:  
"<</PageSize[162 504]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h540/30384 PC Postage 2-Part: "<</PageSize[167  
540]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion 30384_PC_Postage_2-Part/30384 PC Postage 2-Part:  
"<</PageSize[167 540]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h756/30387 PC Postage EPS: "<</PageSize[167  
756]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion 30387_PC_Postage_EPS/30387 PC Postage EPS: "<</PageSize[167  
756]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h188.1/30854 CD Label: "<</PageSize[167  
188]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w176h292/30856 Badge Card Label: "<</PageSize[176  
292]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*PageRegion w167h288.2/30857 Badge Label: "<</PageSize[167  
288]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
```

```
*PageRegion w112h126/30886 CD Label: "<</PageSize[112 126]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageRegion w79h252.2/99010 Standard Address: "<</PageSize[79
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w102h252.1/99012 Large Address: "<</PageSize[102
252]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w154h286.1/99014 Name Badge Label: "<</PageSize[154
286]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w154h286.2/99014 Shipping: "<</PageSize[154
286]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w154h198.2/99015 Diskette: "<</PageSize[154
198]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w63h419/99016 Video Spine: "<</PageSize[63 419]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageRegion w139h221/99016 Video Top: "<</PageSize[139 221]/ImagingBBox
null/cupsInteger0 0>>setpagedevice"
*PageRegion w36h144/99017 Suspension File: "<</PageSize[36
144]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w108h539/99018 Small Lever Arch: "<</PageSize[108
539]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w167h539/99019 Large Lever Arch: "<</PageSize[167
539]/ImagingBBox null/cupsInteger0 0>>setpagedevice"
*PageRegion w154h7680/Banner: "<</PageSize[154 7680]/ImagingBBox
null/cupsMediaType 1/cupsInteger0 0>>setpagedevice"
*PageRegion w154h792/Continuous, Wide: "<</PageSize[154
792]/ImagingBBox null/cupsMediaType 1/cupsInteger0 0>>setpagedevice"
*CloseUI: *PageRegion

*DefaultImageableArea: w167h288
*ImageableArea w154h64/11351 Jewelry Label: "0.00 4.32 150.72 58.80"
*ImageableArea w72h154/11352 Return Address Int: "4.08 4.32 69.12
146.64"
*ImageableArea w72h72/11353 Multi-Purpose: "4.08 4.32 69.12 65.28"
*ImageableArea w162h90/11354 Multi-Purpose: "2.88 4.32 159.12 85.68"
*ImageableArea w54h144/11355 Multi-Purpose: "4.08 4.32 51.12 127.68"
*ImageableArea w118h252/11356 White Name badge: "4.08 4.32 114.24
235.44"
*ImageableArea w167h188/14681 CD/DVD Label: "4.08 17.04 161.28 170.40"
*ImageableArea w79h252/30252 Address: "4.32 4.32 76.08 235.44"
*ImageableArea w167h252/30253 Address (2 up): "4.08 4.32 163.44 235.68"
*ImageableArea w167h288/30256 Shipping: "4.08 4.32 163.68 271.20"
*ImageableArea w154h198/30258 Diskette: "4.08 4.32 150.24 182.16"
*ImageableArea w82h248/30277 File Folder (2 up): "4.32 4.32 78.24
233.04"
*ImageableArea w154h64.1/30299 Jewelry Label (2 up): "0.00 4.32 150.72
58.80"
*ImageableArea w79h252.1/30320 Address: "4.32 4.32 76.08 235.44"
*ImageableArea w102h252/30321 Large Address: "4.32 4.32 98.40 234.96"
*ImageableArea w154h286/30323 Shipping: "4.32 4.32 150.24 270.48"
*ImageableArea w154h198.1/30324 Diskette: "2.88 4.32 150.24 182.16"
*ImageableArea w54h424/30325 Video Spine: "2.88 4.32 51.12 407.28"
```

```
*ImageableArea w131h221/30326 Video Top: "4.08 4.32 127.68 204.72"  
*ImageableArea w57h248/30327 File Folder: "0.00 4.32 53.52 231.60"  
*ImageableArea w54h144.1/30330 Return Address: "4.08 4.32 51.12 127.68"  
*ImageableArea w72h72.1/30332 1 in x 1 in: "4.08 4.32 69.12 64.80"  
*ImageableArea w72h72.2/30333 1/2 in x 1 in (2 up): "4.08 4.32 69.12  
65.28"  
*ImageableArea w162h90.1/30334 2-1/4 in x 1-1/4 in: "2.88 4.32 159.12  
85.68"  
*ImageableArea 30334_2-1_4_in_x_1-1_4_in/30334 2-1/4 in x 1-1/4 in:  
"2.88 4.32 159.12 85.68"  
*ImageableArea w73h86/30335 1/2 in x 1/2 in (4 up): "0.00 4.32 70.08  
81.12"  
*ImageableArea w72h154.1/30336 1 in x 2-1/8 in: "4.08 4.32 69.12  
146.64"  
*ImageableArea w118h252.1/30337 Audio Cassette: "4.08 4.32 114.24  
235.44"  
*ImageableArea w54h203/30339 8mm Video (2 up): "4.08 4.32 51.12 186.72"  
*ImageableArea w54h180/30345 3/4 in x 2-1/2 in: "4.08 4.32 51.12  
163.68"  
*ImageableArea w36h136/30346 1/2 in x 1-7/8 in: "4.08 4.32 33.12  
118.80"  
*ImageableArea w72h108/30347 1 in x 1-1/2 in: "4.08 4.32 69.12 91.68"  
*ImageableArea w65h90/30348 9/10 in x 1-1/4 in: "5.04 4.32 61.92 73.68"  
*ImageableArea w167h288.1/30364 Name Badge Label: "4.08 4.32 163.68  
271.20"  
*ImageableArea w168h252/30365 Name Badge Card: "0.00 4.32 161.28  
225.12"  
*ImageableArea w144h169/30370 Zip Disk: "4.32 4.32 141.12 152.88"  
*ImageableArea w71h144/30373 Price Tag Label: "0.00 85.44 67.44 139.68"  
*ImageableArea w144h252/30374 Appointment Card: "8.64 4.32 141.12  
225.12"  
*ImageableArea w80h144/30376 Hanging File Insert: "8.64 4.32 76.32  
121.44"  
*ImageableArea w162h504/30383 PC Postage 3-Part: "4.08 4.32 159.12  
488.16"  
*ImageableArea 30383_PC_Postage_3-Part/30383 PC Postage 3-Part: "4.08  
4.32 159.12 488.16"  
*ImageableArea w167h540/30384 PC Postage 2-Part: "4.08 4.32 163.68  
524.16"  
*ImageableArea 30384_PC_Postage_2-Part/30384 PC Postage 2-Part: "4.08  
4.32 163.68 524.16"  
*ImageableArea w167h756/30387 PC Postage EPS: "4.08 4.32 163.68 740.16"  
*ImageableArea 30387_PC_Postage_EPS/30387 PC Postage EPS: "4.08 4.32  
163.68 740.16"  
*ImageableArea w167h188.1/30854 CD Label: "4.08 17.04 161.28 170.40"  
*ImageableArea w176h292/30856 Badge Card Label: "0.00 4.32 161.28  
264.72"  
*ImageableArea w167h288.2/30857 Badge Label: "4.08 4.32 163.68 271.20"  
*ImageableArea w112h126/30886 CD Label: "4.32 18.00 102.24 110.16"  
*ImageableArea w79h252.2/99010 Standard Address: "4.32 4.32 76.08  
235.44"
```

```
*ImageableArea w102h252.1/99012 Large Address: "4.32 4.32 98.40 234.96"  
*ImageableArea w154h286.1/99014 Name Badge Label: "4.32 4.32 150.24  
270.48"  
*ImageableArea w154h286.2/99014 Shipping: "4.32 4.32 150.24 270.48"  
*ImageableArea w154h198.2/99015 Diskette: "2.88 4.32 150.24 182.16"  
*ImageableArea w63h419/99016 Video Spine: "0.00 4.32 59.52 402.24"  
*ImageableArea w139h221/99016 Video Top: "0.00 4.32 136.08 204.48"  
*ImageableArea w36h144/99017 Suspension File: "2.88 4.32 33.12 127.92"  
*ImageableArea w108h539/99018 Small Lever Arch: "4.08 4.32 104.88  
522.72"  
*ImageableArea w167h539/99019 Large Lever Arch: "4.08 4.32 163.68  
522.72"  
*ImageableArea w154h7680/Banner: "4.08 17.04 148.08 7663.92"  
*ImageableArea w154h792/Continuous, Wide: "4.32 4.32 150.24 775.68"  
  
*DefaultPaperDimension: w167h288  
*PaperDimension w154h64/11351 Jewelry Label: "153.60 63.12"  
*PaperDimension w72h154/11352 Return Address Int: "72.00 153.12"  
*PaperDimension w72h72/11353 Multi-Purpose: "72.00 72.00"  
*PaperDimension w162h90/11354 Multi-Purpose: "162.00 90.00"  
*PaperDimension w54h144/11355 Multi-Purpose: "54.00 144.00"  
*PaperDimension w118h252/11356 White Name badge: "117.12 252.00"  
*PaperDimension w167h188/14681 CD/DVD Label: "166.32 187.20"  
*PaperDimension w79h252/30252 Address: "78.96 252.00"  
*PaperDimension w167h252/30253 Address (2 up): "166.32 252.00"  
*PaperDimension w167h288/30256 Shipping: "166.56 288.00"  
*PaperDimension w154h198/30258 Diskette: "153.12 198.00"  
*PaperDimension w82h248/30277 File Folder (2 up): "81.12 247.44"  
*PaperDimension w154h64.1/30299 Jewelry Label (2 up): "153.60 63.12"  
*PaperDimension w79h252.1/30320 Address: "78.96 252.00"  
*PaperDimension w102h252/30321 Large Address: "101.28 251.04"  
*PaperDimension w154h286/30323 Shipping: "153.12 285.84"  
*PaperDimension w154h198.1/30324 Diskette: "153.12 198.00"  
*PaperDimension w54h424/30325 Video Spine: "54.00 423.12"  
*PaperDimension w131h221/30326 Video Top: "130.56 220.56"  
*PaperDimension w57h248/30327 File Folder: "56.40 247.44"  
*PaperDimension w54h144.1/30330 Return Address: "54.00 144.00"  
*PaperDimension w72h72.1/30332 1 in x 1 in: "72.00 72.00"  
*PaperDimension w72h72.2/30333 1/2 in x 1 in (2 up): "72.00 72.00"  
*PaperDimension w162h90.1/30334 2-1/4 in x 1-1/4 in: "162.00 90.00"  
*PaperDimension 30334_2-1_4_in_x_1-1_4_in/30334 2-1/4 in x 1-1/4 in:  
"162.00 90.00"  
*PaperDimension w73h86/30335 1/2 in x 1/2 in (4 up): "72.96 85.44"  
*PaperDimension w72h154.1/30336 1 in x 2-1/8 in: "72.00 153.12"  
*PaperDimension w118h252.1/30337 Audio Cassette: "117.12 252.00"  
*PaperDimension w54h203/30339 8mm Video (2 up): "54.00 202.56"  
*PaperDimension w54h180/30345 3/4 in x 2-1/2 in: "54.00 180.00"  
*PaperDimension w36h136/30346 1/2 in x 1-7/8 in: "36.00 135.12"  
*PaperDimension w72h108/30347 1 in x 1-1/2 in: "72.00 108.00"  
*PaperDimension w65h90/30348 9/10 in x 1-1/4 in: "64.80 90.00"  
*PaperDimension w167h288.1/30364 Name Badge Label: "166.56 288.00"
```

```
*PaperDimension w168h252/30365 Name Badge Card: "167.04 252.00"  
*PaperDimension w144h169/30370 Zip Disk: "144.00 168.72"  
*PaperDimension w71h144/30373 Price Tag Label: "70.32 144.00"  
*PaperDimension w144h252/30374 Appointment Card: "144.00 252.00"  
*PaperDimension w80h144/30376 Hanging File Insert: "79.20 144.00"  
*PaperDimension w162h504/30383 PC Postage 3-Part: "162.00 504.00"  
*PaperDimension 30383_PC_Postage_3-Part/30383 PC Postage 3-Part:  
"162.00 504.00"  
*PaperDimension w167h540/30384 PC Postage 2-Part: "166.56 540.00"  
*PaperDimension 30384_PC_Postage_2-Part/30384 PC Postage 2-Part:  
"166.56 540.00"  
*PaperDimension w167h756/30387 PC Postage EPS: "166.56 756.00"  
*PaperDimension 30387_PC_Postage_EPS/30387 PC Postage EPS: "166.56  
756.00"  
*PaperDimension w167h188.1/30854 CD Label: "166.32 187.20"  
*PaperDimension w176h292/30856 Badge Card Label: "175.44 291.60"  
*PaperDimension w167h288.2/30857 Badge Label: "166.56 288.00"  
*PaperDimension w112h126/30886 CD Label: "111.36 126.00"  
*PaperDimension w79h252.2/99010 Standard Address: "78.96 252.00"  
*PaperDimension w102h252.1/99012 Large Address: "101.28 251.04"  
*PaperDimension w154h286.1/99014 Name Badge Label: "153.12 285.84"  
*PaperDimension w154h286.2/99014 Shipping: "153.12 285.84"  
*PaperDimension w154h198.2/99015 Diskette: "153.12 198.00"  
*PaperDimension w63h419/99016 Video Spine: "62.40 418.56"  
*PaperDimension w139h221/99016 Video Top: "138.96 220.56"  
*PaperDimension w36h144/99017 Suspension File: "36.00 144.00"  
*PaperDimension w108h539/99018 Small Lever Arch: "107.76 538.56"  
*PaperDimension w167h539/99019 Large Lever Arch: "166.56 538.56"  
*PaperDimension w154h7680/Banner: "153.12 7680.00"  
*PaperDimension w154h792/Continuous, Wide: "153.12 792.00"  
  
*% Custom page size support  
*HWMargins: 0 0 0 0  
*NonUIOrderDependency: 100 AnySetup *CustomPageSize True  
*CustomPageSize True/Custom Page Size: "pop pop pop <</PageSize[5 -2  
roll]/ImagingBBox null/cupsInteger0 0>>setpagedevice"  
*ParamCustomPageSize Width: 1 points 10 161.28  
*ParamCustomPageSize Height: 2 points 10 7680  
*ParamCustomPageSize WidthOffset/Width Offset: 3 points 0 0  
*ParamCustomPageSize HeightOffset/Height Offset: 4 points 0 0  
*ParamCustomPageSize Orientation: 5 int 0 0  
  
*OpenUI *DymoContinuousPaper/Continuous Paper: PickOne  
*OrderDependency: 110 AnySetup *DymoContinuousPaper  
*DefaultDymoContinuousPaper: 0  
*DymoContinuousPaper 0/Disabled: ""  
*DymoContinuousPaper 1/Enabled: "/cupsMediaType 1>>setpagedevice"  
  
*de.Translation DymoContinuousPaper/Endlospapier: ""  
*de.DymoContinuousPaper 0/Deaktiviert: ""  
*de.DymoContinuousPaper 1/Aktiviert: ""
```

```
*es.Translation DymoContinuousPaper/Papel continuo: ""
*es.DymoContinuousPaper 0/Inhabilitado: ""
*es.DymoContinuousPaper 1/Habilitado: ""

*es_CO.Translation DymoContinuousPaper/Papel continuo: ""
*es_CO.DymoContinuousPaper 0/Inhabilitado: ""
*es_CO.DymoContinuousPaper 1/Habilitado: ""

*fr.Translation DymoContinuousPaper/Papier continu: ""
*fr.DymoContinuousPaper 0/Désactivé: ""
*fr.DymoContinuousPaper 1/Activé: ""

*fr_CA.Translation DymoContinuousPaper/Papier continu: ""
*fr_CA.DymoContinuousPaper 0/Désactivé: ""
*fr_CA.DymoContinuousPaper 1/Activé: ""

*it.Translation DymoContinuousPaper/Carta continua: ""
*it.DymoContinuousPaper 0/Disabilitato: ""
*it.DymoContinuousPaper 1/Abilitato: ""

*nl.Translation DymoContinuousPaper/Kettingformulieren: ""
*nl.DymoContinuousPaper 0/Uitgeschakeld: ""
*nl.DymoContinuousPaper 1/Ingeschakeld: ""

*pt.Translation DymoContinuousPaper/Papel contínuo: ""
*pt.DymoContinuousPaper 0/Desativado: ""
*pt.DymoContinuousPaper 1/Ativado: ""

*pt_BR.Translation DymoContinuousPaper/Papel contínuo: ""
*pt_BR.DymoContinuousPaper 0/Desativado: ""
*pt_BR.DymoContinuousPaper 1/Ativado: ""

*CloseUI: *DymoContinuousPaper

*OpenUI *Resolution/Output Resolution: PickOne
*OrderDependency: 20 AnySetup *Resolution
*DefaultResolution: 300dpi
*Resolution 300dpi/300 DPI: "<</HWResolution[300 300]>>setpagedevice"
*Resolution 300x600dpi/300x600 DPI: "<</HWResolution[300
600]>>setpagedevice"
*CloseUI: *Resolution

*OpenUI *DymoHalftoning/Halftoning: PickOne
*OrderDependency: 20 AnySetup *DymoHalftoning
*DefaultDymoHalftoning: ErrorDiffusion
*DymoHalftoning Default/Default: "<</cupsColorOrder 0/cupsColorSpace
3/cupsBitsPerColor 1/cupsBitsPerPixel 1>>setpagedevice"
*DymoHalftoning ErrorDiffusion/Error Diffusion: "<</cupsColorOrder
0/cupsColorSpace 1/cupsBitsPerColor 8>>setpagedevice"
*DymoHalftoning NLL/Nonlinear Dithering: "<</cupsColorOrder
0/cupsColorSpace 1/cupsBitsPerColor 8>>setpagedevice"
```

```
*de.Translation DymoHalftoning/Halbtöne: ""
*de.DymoHalftoning Default/Standard: ""
*de.DymoHalftoning ErrorDiffusion/Fehlerstreuung: ""
*de.DymoHalftoning NLL/Nichtlineare Farbmischung: ""

*es.Translation DymoHalftoning/Proceso de semitono: ""
*es.DymoHalftoning Default/Predeterminado: ""
*es.DymoHalftoning ErrorDiffusion/Difusión de errores: ""
*es.DymoHalftoning NLL/Interpolación no linear: ""

*es_CO.Translation DymoHalftoning/Proceso de semitono: ""
*es_CO.DymoHalftoning Default/Predeterminado: ""
*es_CO.DymoHalftoning ErrorDiffusion/Difusión de errores: ""
*es_CO.DymoHalftoning NLL/Interpolación no linear: ""

*fr.Translation DymoHalftoning/Tramage: ""
*fr.DymoHalftoning Default/Par défaut: ""
*fr.DymoHalftoning ErrorDiffusion/Diffusion d'erreur: ""
*fr.DymoHalftoning NLL/Juxtaposition non linéaire: ""

*fr_CA.Translation DymoHalftoning/Tramage: ""
*fr_CA.DymoHalftoning Default/Par défaut: ""
*fr_CA.DymoHalftoning ErrorDiffusion/Diffusion d'erreur: ""
*fr_CA.DymoHalftoning NLL/Juxtaposition non linéaire: ""

*it.Translation DymoHalftoning/Mezzitoni: ""
*it.DymoHalftoning Default/Predefinito: ""
*it.DymoHalftoning ErrorDiffusion/Diffusione errore: ""
*it.DymoHalftoning NLL/Retino non lineare: ""

*nl.Translation DymoHalftoning/Halftoon: ""
*nl.DymoHalftoning Default/Standaard: ""
*nl.DymoHalftoning ErrorDiffusion/Foutdiffusie: ""
*nl.DymoHalftoning NLL/Niet-lineaire rastering: ""

*pt.Translation DymoHalftoning/Meio-tom: ""
*pt.DymoHalftoning Default/Padrão: ""
*pt.DymoHalftoning ErrorDiffusion/Difusão de erro: ""
*pt.DymoHalftoning NLL/Pontilhado não linear: ""

*pt_BR.Translation DymoHalftoning/Meio-tom: ""
*pt_BR.DymoHalftoning Default/Padrão: ""
*pt_BR.DymoHalftoning ErrorDiffusion/Difusão de erro: ""
*pt_BR.DymoHalftoning NLL/Pontilhado não linear: ""

*CloseUI: *DymoHalftoning

*OpenUI *DymoPrintDensity/Print Density: PickOne
*OrderDependency: 20 AnySetup *DymoPrintDensity
*DefaultDymoPrintDensity: Normal
*DymoPrintDensity Light/Light: ""
```

```
*DymoPrintDensity Medium/Medium: ""
*DymoPrintDensity Normal/Normal: ""
*DymoPrintDensity Dark/Dark: ""

*de.Translation DymoPrintDensity/Druckdichte: ""
*de.DymoPrintDensity Light/Niedrig: ""
*de.DymoPrintDensity Medium/Mittel: ""
*de.DymoPrintDensity Normal/Normal: ""
*de.DymoPrintDensity Dark/Hoch: ""

*es.Translation DymoPrintDensity/Densidad de impresión: ""
*es.DymoPrintDensity Light/Bajo: ""
*es.DymoPrintDensity Medium/Mediano: ""
*es.DymoPrintDensity Normal/Normal: ""
*es.DymoPrintDensity Dark/Alto: ""

*es_CO.Translation DymoPrintDensity/Densidad de impresión: ""
*es_CO.DymoPrintDensity Light/Bajo: ""
*es_CO.DymoPrintDensity Medium/Mediano: ""
*es_CO.DymoPrintDensity Normal/Normal: ""
*es_CO.DymoPrintDensity Dark/Alto: ""

*fr.Translation DymoPrintDensity/Densité d'impression: ""
*fr.DymoPrintDensity Light/Faible: ""
*fr.DymoPrintDensity Medium/Moyenne: ""
*fr.DymoPrintDensity Normal/Normale: ""
*fr.DymoPrintDensity Dark/Élevée: ""

*fr_CA.Translation DymoPrintDensity/Densité d'impression: ""
*fr_CA.DymoPrintDensity Light/Faible: ""
*fr_CA.DymoPrintDensity Medium/Moyenne: ""
*fr_CA.DymoPrintDensity Normal/Normale: ""
*fr_CA.DymoPrintDensity Dark/Élevée: ""

*it.Translation DymoPrintDensity/Densità di stampa: ""
*it.DymoPrintDensity Light/Leggera: ""
*it.DymoPrintDensity Medium/Media: ""
*it.DymoPrintDensity Normal/Normale: ""
*it.DymoPrintDensity Dark/Scura: ""

*nl.Translation DymoPrintDensity/Afdrukdichtheid: ""
*nl.DymoPrintDensity Light/Laag: ""
*nl.DymoPrintDensity Medium/Middel: ""
*nl.DymoPrintDensity Normal/Normaal: ""
*nl.DymoPrintDensity Dark/Hoog: ""

*pt.Translation DymoPrintDensity/Densid. de impressão: ""
*pt.DymoPrintDensity Light/Baixo: ""
*pt.DymoPrintDensity Medium/Médio: ""
*pt.DymoPrintDensity Normal/Normal: ""
*pt.DymoPrintDensity Dark/Alto: ""
```

```
*pt_BR.Translation DymoPrintDensity/Densid. de impressão: ""
*pt_BR.DymoPrintDensity Light/Baixo: ""
*pt_BR.DymoPrintDensity Medium/Médio: ""
*pt_BR.DymoPrintDensity Normal/Normal: ""
*pt_BR.DymoPrintDensity Dark/Alto: ""

*CloseUI: *DymoPrintDensity

*OpenUI *DymoPrintQuality/Print Quality: PickOne
*OrderDependency: 21 AnySetup *DymoPrintQuality
*DefaultDymoPrintQuality: Text
*DymoPrintQuality Text/Text Only: "<</HWResolution[300
300]>>setpagedevice"
*DymoPrintQuality Graphics/Barcodes and Graphics: "<</HWResolution[300
600]>>setpagedevice"

*de.Translation DymoPrintQuality/Druckqualität: ""
*de.DymoPrintQuality Text/Nur Text: ""
*de.DymoPrintQuality Graphics/Barcode und Grafik: ""

*es.Translation DymoPrintQuality/Calidad de impresión: ""
*es.DymoPrintQuality Text/Sólo texto: ""
*es.DymoPrintQuality Graphics/Código de barras y gráficas: ""

*es_CO.Translation DymoPrintQuality/Calidad de impresión: ""
*es_CO.DymoPrintQuality Text/Sólo texto: ""
*es_CO.DymoPrintQuality Graphics/Código de barras y gráficas: ""

*fr.Translation DymoPrintQuality/Qualité d'impression: ""
*fr.DymoPrintQuality Text/Texte uniquement: ""
*fr.DymoPrintQuality Graphics/Code-barres et graphisme: ""

*fr_CA.Translation DymoPrintQuality/Qualité d'impression: ""
*fr_CA.DymoPrintQuality Text/Texte uniquement: ""
*fr_CA.DymoPrintQuality Graphics/Code-barres et graphisme: ""

*it.Translation DymoPrintQuality/Qualità della stampa: ""
*it.DymoPrintQuality Text/Solo testo: ""
*it.DymoPrintQuality Graphics/Codice a barre e grafica: ""

*nl.Translation DymoPrintQuality/Afdrukkwaliteit: ""
*nl.DymoPrintQuality Text/Alleen tekst: ""
*nl.DymoPrintQuality Graphics/Streepjescode en afbeeldingen: ""

*pt.Translation DymoPrintQuality/Qualid. da impressão: ""
*pt.DymoPrintQuality Text/Somente texto: ""
*pt.DymoPrintQuality Graphics/Código de barras e gráficos: ""

*pt_BR.Translation DymoPrintQuality/Qualid. da impressão: ""
*pt_BR.DymoPrintQuality Text/Somente texto: ""
*pt_BR.DymoPrintQuality Graphics/Código de barras e gráficos: ""
```

```

*CloseUI: *DymoPrintQuality

*OpenUI *DymoMediaType/Media Type: PickOne
*OrderDependency: 110 AnySetup *DymoMediaType
*DefaultDymoMediaType: Default
*DymoMediaType Default/Standard label: ""
*DymoMediaType Durable/Durable label: ""

*de.Translation DymoMediaType/Media Type: ""
*de.DymoMediaType Default/Standard label: ""
*de.DymoMediaType Durable/Durable label: ""

*es.Translation DymoMediaType/Media Type: ""
*es.DymoMediaType Default/Standard label: ""
*es.DymoMediaType Durable/Durable label: ""

*es_CO.Translation DymoMediaType/Media Type: ""
*es_CO.DymoMediaType Default/Standard label: ""
*es_CO.DymoMediaType Durable/Durable label: ""

*fr.Translation DymoMediaType/Media Type: ""
*fr.DymoMediaType Default/Standard label: ""
*fr.DymoMediaType Durable/Durable label: ""

*fr_CA.Translation DymoMediaType/Media Type: ""
*fr_CA.DymoMediaType Default/Standard label: ""
*fr_CA.DymoMediaType Durable/Durable label: ""

*it.Translation DymoMediaType/Media Type: ""
*it.DymoMediaType Default/Standard label: ""
*it.DymoMediaType Durable/Durable label: ""

*nl.Translation DymoMediaType/Media Type: ""
*nl.DymoMediaType Default/Standard label: ""
*nl.DymoMediaType Durable/Durable label: ""

*pt.Translation DymoMediaType/Media Type: ""
*pt.DymoMediaType Default/Standard label: ""
*pt.DymoMediaType Durable/Durable label: ""

*pt_BR.Translation DymoMediaType/Media Type: ""
*pt_BR.DymoMediaType Default/Standard label: ""
*pt_BR.DymoMediaType Durable/Durable label: ""

*CloseUI: *DymoMediaType

*UIConstraints: *DymoPrintQuality Text      *Resolution
300x600dpi
*UIConstraints: *DymoPrintQuality Graphics  *Resolution      300dpi
*UIConstraints: *Resolution      300x600dpi *DymoPrintQuality Text
*UIConstraints: *Resolution      300dpi    *DymoPrintQuality Graphics

```

```
*DefaultFont: Courier
*Font AvantGarde-Book: Standard "(001.006S)" Standard ROM
*Font AvantGarde-BookOblique: Standard "(001.006S)" Standard ROM
*Font AvantGarde-Demi: Standard "(001.007S)" Standard ROM
*Font AvantGarde-DemiOblique: Standard "(001.007S)" Standard ROM
*Font Bookman-Demi: Standard "(001.004S)" Standard ROM
*Font Bookman-DemiItalic: Standard "(001.004S)" Standard ROM
*Font Bookman-Light: Standard "(001.004S)" Standard ROM
*Font Bookman-LightItalic: Standard "(001.004S)" Standard ROM
*Font Courier: Standard "(002.004S)" Standard ROM
*Font Courier-Bold: Standard "(002.004S)" Standard ROM
*Font Courier-BoldOblique: Standard "(002.004S)" Standard ROM
*Font Courier-Oblique: Standard "(002.004S)" Standard ROM
*Font Helvetica: Standard "(001.006S)" Standard ROM
*Font Helvetica-Bold: Standard "(001.007S)" Standard ROM
*Font Helvetica-BoldOblique: Standard "(001.007S)" Standard ROM
*Font Helvetica-Narrow: Standard "(001.006S)" Standard ROM
*Font Helvetica-Narrow-Bold: Standard "(001.007S)" Standard ROM
*Font Helvetica-Narrow-BoldOblique: Standard "(001.007S)" Standard ROM
*Font Helvetica-Narrow-Oblique: Standard "(001.006S)" Standard ROM
*Font Helvetica-Oblique: Standard "(001.006S)" Standard ROM
*Font NewCenturySchlbk-Bold: Standard "(001.009S)" Standard ROM
*Font NewCenturySchlbk-BoldItalic: Standard "(001.007S)" Standard ROM
*Font NewCenturySchlbk-Italic: Standard "(001.006S)" Standard ROM
*Font NewCenturySchlbk-Roman: Standard "(001.007S)" Standard ROM
*Font Palatino-Bold: Standard "(001.005S)" Standard ROM
*Font Palatino-BoldItalic: Standard "(001.005S)" Standard ROM
*Font Palatino-Italic: Standard "(001.005S)" Standard ROM
*Font Palatino-Roman: Standard "(001.005S)" Standard ROM
*Font Symbol: Special "(001.007S)" Special ROM
*Font Times-Bold: Standard "(001.007S)" Standard ROM
*Font Times-BoldItalic: Standard "(001.009S)" Standard ROM
*Font Times-Italic: Standard "(001.007S)" Standard ROM
*Font Times-Roman: Standard "(001.007S)" Standard ROM
*Font ZapfChancery-MediumItalic: Standard "(001.007S)" Standard ROM
*Font ZapfDingbats: Special "(001.004S)" Standard ROM

*%
*% End of "$Id: lww.ppd 18293 2012-05-28 16:46:08Z aleksandr $"
*%
```

From:
<http://wuff.dyndns.org/> - **Wulf's Various Things**

Permanent link:
<http://wuff.dyndns.org/doku.php?id=config:dymo&rev=1675554209>

Last update: **2023/05/29 11:53**

