2025/09/08 10:20 1/4 VIM configuration

# **VIM** configuration

#### Make VI default editor

In order to make vi the standard global default editor to edit crontab for example use this command for debian:

```
update-alternatives --config editor
```

and select vim.basic

follow it by

```
select-editor
```

or

change the symlink to the default editor manually:

```
rm /etc/alternatives/editor
ln -s /usr/bin/vi /etc/alternatives/editor
```

or

In order to make vi the global default editor in debian to edit crontab for example, either

```
vi /etc/bash.bashrc
```

and add this line at the end of the file:

```
export EDITOR=vi
export VISUAL=vi
```

To make this change only for an individual user (whereby  $\sim$  is the home directory of the current user or change it to the home directory of the user this should be changed for):

```
vi ~/.bashrc
```

and add this line at the end of the file:

```
export VISUAL=vi
export EDITOR=vi
```

### **Debian 9 VIM Mouse issues**

In Debian 9, vi/vim has mouse support enabled by default. While this makes it easy to go to a

Last update: 2023/05/29 11:53

different area of the file via mouse clicks, it causes copy&paste to fail and/or to behave weirdly.

To revert to the old behaviour, a local .vimrc file needs to be created. It can be empty (just containing a double quote sign which is a comment). When this file exists, the default config with mouse support (/usr/share/vim/vim80/defaults.vim) is not being loaded. Editing the defaults.vim file directly is discouraged as this will be overwritten by updates.

```
vi ~/.vimrc
```

add something to it. In the very least one double quoted line as a comment:

"placeholder as /usr/share/vim/vim80/defaults.vim is loaded if no ~/.vimrc exists

### **Debian vim colour syntax highlighting**

By default Debian installs vim-tiny which does not support syntax highlighting. To install all required modules for console use

```
apt-get install vim
```

then edit /etc/vim/vimrc

```
vi /etc/vim/vimrc
```

and enable syntax, dark backgrounds and remembering the previous cursor position by removing the double-quotes in front of the relevant lines like this:

- " Vim5 and later versions support syntax highlighting. Uncommenting the next " line enables syntax highlighting by default. syntax on
- " If using a dark background within the editing area and syntax highlighting " turn on this option as well set background=dark

## Good default configuration

Add the configuration to your local .vimrc file in your home directory for various sensible and convenient settings:

```
vi ~/.vimrc
```

```
"placeholder as /usr/share/vim/vim80/defaults.vim is loaded if no ~/.vimrc exists syntax on set tabstop=4 " The width of a TAB is set to 4.
```

http://wuff.dyndns.org/ Printed on 2025/09/08 10:20

```
" Still it is a \t. It is just that
                    " Vim will interpret it to be having
                    " a width of 4.
                    " Indents will have a width of 4
set shiftwidth=4
                    " Sets the number of columns for a TAB
set softtabstop=4
set expandtab
                    " Expand TABs to spaces
set nocompatible
                    " Fix telnet issues where cursor keys add A B etc
                    " Disable automatic visual mode when selecting with
set mouse-=a
mouse
" Only do this part when compiled with support for autocommands.
if has("autocmd")
  " Enable file type detection.
  " Use the default filetype settings, so that mail gets 'tw' set to 72,
  " 'cindent' is on in C files, etc.
  " Also load indent files, to automatically do language-dependent
indenting.
  " Revert with ":filetype off".
 filetype plugin indent on
  " Put these in an autocmd group, so that you can revert them with:
  " ":augroup vimStartup | au! | augroup END"
  augroup vimStartup
   au!
    " When editing a file, always jump to the last known cursor position.
    " Don't do it when the position is invalid or when inside an event
handler
    " (happens when dropping a file on gvim).
    autocmd BufReadPost *
      \ if line("'\"") >= 1 && line("'\"") <= line("$") |
      \ exe "normal! g`\"" |
      \ endif
 augroup END
endif " has("autocmd")
```

#### More info

VIM Cheat Sheet

Last update: 2023/05/29 11:53

From:

http://wuff.dyndns.org/ - Wulf's Various Things

Permanent link:

http://wuff.dyndns.org/doku.php?id=linux:vim&rev=1604797943

Last update: 2023/05/29 11:53



http://wuff.dyndns.org/ Printed on 2025/09/08 10:20