

# Epson V500 Scanner

Download the driver package from here:

<http://support.epson.net/linux/en/iscan.php?model=gt-x770&version=2.30.4>

```
wget
"https://download2.ebz.epson.net/iscan/plugin/gt-x770/deb/x64/iscan-gt-x770-
bundle-2.30.4.x64.deb.tar.gz"
tar -xvzf iscan-gt-x770-bundle-2.30.4.x64.deb.tar.gz
cd iscan-gt-x770-bundle-2.30.4.x64.deb

# As libsane was renamed to libsane1, the dependencies of the deb packages
need to get adjusted:
cd core
mkdir epon-sane
dpkg-deb -R iscan_2.30.4-2_amd64.deb epon-sane/
sed -i "s/libsane /libsane1/" epon-sane/DEBIAN/control
dpkg-deb -b epon-sane/ epon-sane-modified.deb
mv epon-sane-modified.deb iscan_2.30.4-2_amd64.deb
rm -rf epon-sane
cd ..

cd data
mkdir epon-sane
dpkg-deb -R iscan-data_1.39.2-1_all.deb epon-sane/
sed -i "s/libsane /libsane1/" epon-sane/DEBIAN/control
dpkg-deb -b epon-sane/ epon-sane-modified.deb
mv epon-sane-modified.deb iscan-data_1.39.2-1_all.deb
rm -rf epon-sane
cd ..

sudo ./install.sh
```

The following may be required on Ubuntu based system (rather than Debian) to move the scanner drivers in the correct directory

```
sudo cp /usr/lib/sane/* /usr/lib/x86_64-linux-gnu/sane/
sudo cp /usr/lib/x86_64-linux-gnu/sane/* /usr/lib/sane/
```

iscan needs to be started as root:

```
sudo iscan
```

To let users access the device which changes bus and device each time it is started, add a udev rule based on the manufacturer and device code. It's the ID 04b8:0130 but where 04b8 is EPSON and 0130 the particular model.

```
lsusb
```

Also add yourself to the saned and scanner groups (replace username with the actual username):

```
sudo adduser username saned
sudo adduser username scanner
```

Now add the following to `/etc/udev/rules.d/80-scanner.rules`

### 80-scanner.rules

```
# change device EPSON owner group
ATTRS{manufacturer}=="EPSON", DRIVERS=="usb", SUBSYSTEMS=="usb",
ATTRS{idVendor}=="04b8", ATTRS{idProduct}=="0130", GROUP="scanner"
```

Reload udev rules:

```
sudo udevadm control --reload
```

And test the rules replacing the bus and device number from `lsusb` output. This should print group id 0 in the first line, then the group id of the scanner group in the second line.

```
sudo udevadm test $(udevadm info -q path -n /dev/bus/usb/<bus>/<device>)
2>&1 | grep -i group --color
```

Make sure the udev rules file is not executable. e.g.

```
chmod -x /usr/lib/udev/rules.d/80-scanner.rules
chmod -x /usr/lib/udev/rules.d/60-iscan.rules
```

Disconnect the scanner and reconnect it, then try using `iscan` or other scanning applications.

From:

<http://wuff.dyndns.org/> - **Wulf's Various Things**

Permanent link:

<http://wuff.dyndns.org/doku.php?id=config:epson-v500-scanner>

Last update: **2025/09/25 16:59**

