

Kodi Android

Sideload Kodi via adb

To install or update kodi on Amazon Fire TV or similar, use the following steps:

1.) Enable “adb debugging” as well as “apps from unknown sources” on the device and obtain its IP address.

On Amazon Fire TV:

The settings can be found in settings → system → developer options.

The IP address is listed in settings → system → about → network.

2.) Download the android arm version (depending on device) of kodi using the latest stable url from <https://kodi.tv/download/#devbuilds> or from the mirrors here

<http://mirrors.kodi.tv/releases/android/arm/>

Nightly snapshots can be downloaded from here: <http://mirrors.kodi.tv/nightlies/android/arm/>

```
wget
http://mirrors.kodi.tv/releases/android/arm/kodi-16.1-Jarvis-armeabi-v7a.apk
```

3.) Install adb (if necessary). On a debian linux based machine, the command is:

```
apt-get install android-tools-adb
```

4.) use adb to push the downloaded kodi apk file to the device, replace the IP address with the relevant IP of the device

```
adb connect 192.168.1.10
adb install -r kodi*
```

Config edits via adb

To edit configuration files manually, you can connect to the kodi device via adb and open a shell:

```
adb connect 192.168.1.10
adb shell
cd /sdcard/Android/data/org.xbmc.kodi/files/.kodi/userdata
```

Note, android shell by default does not have an editor and copy command does not work. However, when side-loading busybox, vi/nano should be possible as per this article and file copy can be done via `cat file > /sdcard/newfile`

<http://stackoverflow.com/questions/4714411/how-to-copy-and-edit-files-in-android-shell>

The better way is to create files on a pc and then connect via adb and pull or push files.

```
adb connect 192.168.1.10
```

```
adb pull
/sdcard/Android/data/org.xbmc.kodi/files/.kodi/userdata/advancedsettings.xml
advancedsettings.xml
adb push advancedsettings.xml
/sdcard/Android/data/org.xbmc.kodi/files/.kodi/userdata
```

The following advancedsettings.xml file increases the buffer to avoid issues with high bitrate files:

```
<advancedsettings>
  <network>
    <buffermode>1</buffermode>
    <cachemembuffersize>157286400</cachemembuffersize>
    <readbufferfactor>20</readbufferfactor>
  </network>
</advancedsettings>
```

Add this as well to import watched status saved in nfo files (if present)

```
<videolibrary>
  <importwatchedstate>>true</importwatchedstate>
</videolibrary>
```

Restart Kodi after adding or changing advancedsettings!

Kodi update bash script

This bash script can be used to download the latest stable/nightly and install it via adb.

[kodi-updater.sh](#)

```
#!/bin/bash
#####
#####
# Download and update latest Kodi build (nightly or stable) and install
to a connected device.
#####
#####

which adb >/dev/null 2>&1 || { \
  echo "adb doesn't exist in your path"; \
  exit 3; \
}

#####
#####
# get latest versions (nightly and stable)
#####
#####
NIGHTLY_URL=http://mirrors.kodi.tv/nightlies/android/arm/
```

```

STABLE_URL=http://mirrors.xbmc.org/releases/android/arm/

# get latest nightly build (NOTE: sed syntax could be better but works)
NIGHTLY=`curl -s $NIGHTLY_URL | grep apk | head -1 | sed 's/.*<a
href="//g' | sed 's/".*//g'`
if [[ "$NIGHTLY" == "" ]]
then
    echo "Error fetching latest nightly version"
    exit
fi

# get latest nightly build (NOTE: sed syntax could be better but works)
STABLE=`curl -s $STABLE_URL | grep apk | head -1 | sed 's/.*<a
href="//g' | sed 's/".*//g'`
if [[ "$STABLE" == "" ]]
then
    echo "Error fetching latest stable version"
    exit
fi

echo "latest nightly: $NIGHTLY"
echo "latest stable: $STABLE"

#####
#####
# detect device connected via adb (NOTE: does not support multiple
devices)
#####
#####
adb start-server

((NUM_DEVICES = `adb devices | wc -l` - 2))
if [[ "$NUM_DEVICES" == 0 ]]
then
    echo "No devices connected.."
    read -p "Enter device IP address: " IP
    adb connect $IP

    # check again and exit if no devices
    ((NUM_DEVICES = `adb devices | wc -l` - 2))

    if [[ "$NUM_DEVICES" == 0 ]]
    then
        echo "No devices connected.."
        exit;
    fi
fi

#####
#####
# choose nightly or stable version

```

```
#####  
#####  
echo 'Select Download Option:'  
select download in "Nightly" "Stable" "Exit" ; do  
    case $download in  
        "Nightly" ) break;;  
        "Stable" ) break;;  
        "Exit" ) echo "Exiting.."; exit;;  
    esac  
done  
  
if [[ "$download" == "Nightly" ]]  
then  
    FILE=$NIGHTLY  
    DOWNLOAD_URL=$NIGHTLY_URL  
elif [[ "$download" == "Stable" ]]  
then  
    FILE=$STABLE  
    DOWNLOAD_URL=$STABLE_URL  
fi  
  
# save to /tmp  
TMP_FILE=/tmp/$FILE  
rm $TMP_FILE 2>/dev/null  
  
#####  
#####  
# download  
#####  
#####  
echo "downloading: $FILE"  
curl -# -L -o $TMP_FILE $DOWNLOAD_URL/$FILE  
  
if [ ! -f $TMP_FILE ]  
then  
    echo "download failed!"  
    exit  
fi  
  
#####  
#####  
# install options  
#####  
#####  
echo 'Select Install Option:'  
select result in "Upgrade" "Clean Install" "Exit" ; do  
    case $result in  
        "Upgrade" ) break;;  
        "Clean Install" ) break;;  
        "Exit" ) echo "Exiting.."; exit;;  
    esac
```

```

done

#####
#####
# clean install
#####
#####
if [[ "$result" == "Clean Install" ]]
then
    echo "uninstalling.."
    adb uninstall org.xbmc.xbmc
fi

#####
#####
# install with progress
#####
#####
echo "installing $TMP_FILE"
SIZE=$(ls -l $TMP_FILE | awk '{print $5}')
#export ADB_TRACE=all

adb $device install -r $TMP_FILE

#####
#####
# cleanup
#####
#####
rm $TMP_FILE
#export ADB_TRACE=

#echo
#echo 'press any key to exit'
#read n

```

From:
<http://wuff.dyndns.org/> - **Wulf's Various Things**

Permanent link:
<http://wuff.dyndns.org/doku.php?id=kodi:kodi-android>

Last update: **2023/05/29 11:55**

