

Docker PHP Dev

<https://github.com/TrafeX/docker-php-nginx>

PHP,nginx,mariadb combo docker compose file:

[docker-compose.yml](#)

```
services:
  php-dev:
    image: trafex/php-nginx
    container_name: php-dev
    restart: unless-stopped
    environment:
      - PUID=1016
      - PGID=1016
      - TZ=Europe/London
    ports:
      - 7082:8080
    volumes:
      - /opt/php-dev/html:/var/www/html
      #- /opt/php-dev/php-conf/php.ini:/etc/php84/conf.d/settings.ini
      #- /opt/php-dev/php-conf/php-fpm.conf:/etc/php84/php-
fpm.d/server.conf
    depends_on:
      - php-dev-mysql
    # docker exec php-dev bash
    stdin_open: true # docker run -i
    tty: true # docker run -t
    networks:
      - php-dev-network
  php-dev-mysql:
    image: yobasystems/alpine-mariadb
    container_name: php-dev-mysql
    environment:
      MYSQL_ROOT_PASSWORD: devroot
      MYSQL_DATABASE: dev
      MYSQL_USER: dev_user
      MYSQL_PASSWORD: dev_pass
      MYSQL_CHARSET: utf8
      MYSQL_COLLATION: utf8_general_ci
    expose:
      - "3306"
    ports:
      - 23306:3306/tcp
    volumes:
      - /opt/php-dev/mysql-data:/var/lib/mysql
      # - /opt/php-dev/mysql-logs:/var/lib/mysql/mysql-bin
      # - /opt/php-dev/mysql-conf/my.cnf:/etc/my.cnf
```

```
# - /opt/php-dev/mysql-conf/mariadb-  
server.cnf:/etc/my.cnf.d/mariadb-server.cnf  
restart: unless-stopped  
networks:  
  - php-dev-network  
# docker exec php-dev-mysql mysql -uroot -pdevroot dev  
stdin_open: true  
tty: true  
  
networks:  
  php-dev-network:
```

Adjustments/self build of the php container to add or remove php extensions when necessary:

```
git clone https://github.com/TrafeX/docker-php-nginx
```

[docker-compose.yml](#)

```
services:  
  php-dev:  
    image: php-dev:latest  
    build:  
      context: .  
      no_cache: true  
    container_name: php-dev  
    restart: unless-stopped  
    environment:  
      - PUID=1016  
      - PGID=1016  
      - TZ=Europe/London  
    ports:  
      - 7081:8080  
    volumes:  
      - /opt/php-dev/html:/var/www/html  
      #- /opt/php-dev/conf/php.ini:/etc/php84/conf.d/settings.ini  
      #- /opt/php-dev/conf/php-fpm.conf:/etc/php84/php-  
fpm.d/server.conf
```

Create custom php.ini if required:

[config/php.ini](#)

```
[PHP]  
allow_url_fopen=0n  
  
max_execution_time = 600  
  
[Date]
```

```
date.timezone="UTC"
expose_php= Off
```

Adjust Dockerfile to add/remove any extensions as required. E.g.:

```
RUN apk add --no-cache \
  curl \
  nginx \
  php84 \
  php84-ctype \
  php84-curl \
  php84-dom \
  php84-fileinfo \
  php84-fpm \
  php84-intl \
  php84-mbstring \
  php84-opcache \
  php84-phar \
  php84-session \
  php84-tokenizer \
  php84-xml \
  php84-xmlreader \
  php84-xmlwriter \
  php84-sqlite3 \
  php84-mysqli \
  supervisor
```

Add mysql docker if required:

```
name: php-dev-mysql
services:
  energystats2-mysql:
    image: yobasystems/alpine-mariadb
    container_name: php-dev-mysql
    environment:
      MYSQL_ROOT_PASSWORD: rootpassword
      MYSQL_DATABASE: database
      MYSQL_USER: username
      MYSQL_PASSWORD: password
      MYSQL_CHARSET: utf8
      MYSQL_COLLATION: utf8_general_ci
    expose:
      - "3306"
    ports:
      - 13306:3306/tcp
    volumes:
      - /opt/php-dev-mysql-storage/data:/var/lib/mysql
      # - /opt/php-dev-mysql-storage/logs:/var/lib/mysql/mysql-bin
      - /opt/php-dev-mysql-storage/conf/my.cnf:/etc/my.cnf
      # - /opt/php-dev-mysql-storage/conf/mariadb-
```

`server.cnf:/etc/my.cnf.d/mariadb-server.cnf`

From:

<http://wuff.dyndns.org/> - **Wulf's Various Things**

Permanent link:

<http://wuff.dyndns.org/doku.php?id=php:docker-php-dev&rev=1746315106>

Last update: **2025/05/04 00:31**

